

# NOVA. FASTENER CO., LTD.

No.6, Ln.68, Dapu 2nd St., Gangshan Dist., Kaohsiung City 82056, Taiwan

Tel: +886-7-6281825 Fax: +886-7-6284111

E-mail: sales@novafastener.com.tw ; nova.fasten@msa.hinet.net

<http://www.novafastener.com.tw>

<http://www.fastener-world.com/en/supplier/nova>



ISO 9001: 2015 EN14566 EN14592



## Super Stainless Steel 550 ( Duplex S.S)



### Application:

- ▶ Self-Drilling Screw
- ▶ Decking Screw
- ▶ Sheet Metal Screw
- ▶ Salt-water Environment



Replacing bi-material screw on short length performance



300 Series stainless steel corrosion resistance



400 Series stainless steel strength

- ✔ #10 dia self-drilling screw #2 point
- ✔ No pre-hole
- ✔ Direct penetration of 3.0mm or 1.6+1.6mm steel plate

### Torque value:


M4.8/#10 Screw	550 S.S	SUS 410	C1022 Carbon Steel
Torque (KG/CM)	120.0 Ave	99.8 Ave	99.5 Ave

### Corrosion Protection:

- ▶ 2,000 Hrs min Salt Spray Test.
- ▶ Self-color, no coating or plating.

# NOVA.

## Corner Bracket Screw



TY-17 Point  
Advantage For Wood Cutting



- ◀ 45 Degree Bending Test Approved  
Effectively Prevent Loose and Break off

**Various Coating/Plating Available**



- ◀ Connect two woods tightly.



Size

M6X30~M6X60 WAFER HEAD

M8X30~M8X60 WAFER HEAD

M5X25~M5X80 PAN HEAD

### NOVA. FASTENER CO., LTD

NO. 6, LN. 68, DAPU 2ND ST., GANGSHAN DIST., KAOHSIUNG CITY 82056, TAIWAN  
Tel: +886-7-6281825 Fax: +886-7-6284111 E-mail: nova.fasten@msa.hinet.net  
http: //www.novafastener.com.tw



# NOVA.

FASTENER CO.,LTD.

*Your Reliable Partner*



**Material:**  
*Brass/Carbon Steel/Alloy/Stainless steel*  
**PPAP Available**  
**RoHs compliant**



## NOVA.FASTENER CO., LTD.

No. 6, Ln. 68, Dapu 2<sup>nd</sup> St., Gangshan Dist.,Kaohsiung City 82056, Taiwan(R.O.C.)

Tel: 886-7-6281825 Fax: 886-7-6284111

<http://www.novafastener.com.tw> E-Mail:[nova.fasten@msa.hinet.net](mailto:nova.fasten@msa.hinet.net)



# NOVA.


## FASTENER CO., LTD.

We are a Professional Fastener Supplier for:  
**Smart & Useful Design,**  
**Reasonable Price,**  
**Excellent Quality**



ISO 9001: 2008 EN14566 EN14592

Tel: 886-7-621 8535 Fax: 886-7-621 1924  
 E-mail: nova.fasten@msa.hinet.net  
 http://www.novafastener.com.tw



Bring you more benefits:  
 Stick-fit, no wobbling  
 Save working time  
 Safe working environment

**ttap**<sup>®</sup>  
 patented



**Stainless Steel Screw ▲**



**ETA Item**  
**Carbon Steel/Stainless Steel ▶**



**◀ Window Screw**



**▼ Drywall /DIY Screw**



**▲ Roofing Screw**

# We focus on...

## STAINLESS STEEL SCREW



# NOVA.

**FASTENER CO., LTD.**

3F., No 149, Ta De 2nd Road, Gangshan,  
Kaohsiung Hsien 820, Taiwan  
Tel: 886-7-6218535 Fax: 886-7-6211924  
E-mail: nova.fasten@msa.hinet.net  
Http://www.novafastener.com.tw

Tapping screw with stainless steel cap

• CAP SCREW (STEEL SCREW with 304S.S CAP)

• Self drilling screw with stainless-steel cap

• SELF DRILLING SCREW

(#1-6 POINT, LENGTH UP to 400mm)

• TAPPING SCREW  
• THREAD FORMING SCREW

• BI-METAL SCREW

• SPECIAL/AUTOMATIC ITEM  
(PPAP III REPORT AVAILABLE)



**NEW**



- ✓ **SMALL ORDERS**
- ✓ **80~400mm**
- ✓ **Cr(VI)-FREE PLATING**
- ✓ **CSK HEAD/FLANGE HEAD**



### ▼ **STAINLESS STEEL**

1,000 SST ▼ **TRY THIS!**  
 PLAIN SURFACE  
 EXCELLENT DRILL CAPACITY  
 HIGH TORQUE



### ▼ **SELF DRILLING SCREW**



### ▼ **ETA item**



**Carbon Steel /Stainless Steel**

C4 coating  
 Pass Nordic Testing



Bring you more benefits:  
 Stick-fit, no wobbling  
 Save working time  
 Safe working environment



# **NOVA. FASTENER CO., LTD.**

E-mail: nova.fasten@msa.hinet.net  
 http://www.novafastener.com.tw



ISO 9001: 2015 EN14566 EN14592



**PASS**

**Nordic C4 Approval  
by SP Technical Research  
Institute of Sweden**

- ✓ **ACQ Wood Compatible**
- ✓ **Corrosion Resistance**  
*Salt Spray Test: ASTM B117*  
*Kesternich Test: DIN50018-2.05*
- ✓ **Multiple Color For Choice**

# NOVA.



Test	Conditions	Requirements	Electropolysal V Gold Electrocoat
Salt Spray ASTM B117-07	1680 Hours	5% red rust on significant surfaces	5 of 5 samples: < 0.1% RP
Corrosion Resistance Kesternich Test DIN50018-2.05	30 Cycles	15% red rust on whole body	5 of 5 samples: < 0.1% RP

- ⊘ **RoHS Compliant (None-Chrome). Green Environment Protection.**
- ⊘ **No Recess Drive Stuffed Problem.**

**NOVA. FASTENER CO., LTD.**

No. 6, Ln. 68, Dapu 2nd St., Gangshan Dist., Kaohsiung City 82056, Taiwan

Tel: +886-7-6281825 Fax: +886-7-6284111 E-mail: nova.fasten@msa.hinet.net

http://www.novafastener.com.tw

